### **TOSHIBA**

# E-STUDIO2323AM E-STUDIO2823AM

### **Datasheet**

- > The e-STUDIO2323AM/2823AM cover the basic needs of modern businesses, offering a speed of up to 23/28 pages per minute.
- > Based on sophisticated technology, they easily integrate into networks and are intuitve to use.
- Designed to meet the highest environmental standards, both models help save valuable resources.







### **Key features**

- Compact A3 systems with print, colour scan and copy function to cover the most relevant requirements.
- Excellent image quality for documents which impress.
- Energy save modes for optimised usage and intelligent resource management.

## Efficient, productive and highly reliable top-performers.



### **Benefits**

With an output speed of 23 and 28 pages per minute the e-STUDIO2323AM/2823AM can easily keep up with the needs of today's businesses. Their outstanding image quality will give your documents a professional look and leave a lasting impression with your business partners.

### Uncompromised ease-of-use

For you to benefit from the sophisticated technology that the systems are based on, we have ensured that they are easy and intuitive to use.

- Intuitive use of all functions
- Complex as the functionality is, it is nevertheless easy to use.
   No matter whether you want to print, scan or copy via the user interface all features are just a click away.
- Mobile Print
- Convenient print from mobile devices via USB cable.
- Print from or scan to mobile devices with the e-BRIDGE Print & Capture Entry app.

### **Configuration**



### **Specifications**

#### General

**Print & Copy Speed** A4: 23/28 ppm

A3: 14/14 ppm

Warm-up Time ~ 15 seconds

Paper Size & Weight Cassette: A5R-A3, 64-80 g/m<sup>2</sup>

Bypass: A5R-A3, 52-216 g/m<sup>2</sup>

Cassette: 1x 250 sheets **Paper Capacity** 

Bypass: 1x 100 sheets, Max. 600 sheets

Inner Output Tray 100-sheet capacity Automatic Duplex1)  $A5R-A3, 64-80 \text{ g/m}^2$ 

512 MB RAM Memory

10Base-T/100Base-TX (incl. IPv6), Interface

High Speed USB 2.0

**Dimensions & Weight** 575 x 540 x 402 mm (W x D x H), ~ 27 kg

**Initial Consumables** Toner, Drum, Developer

### Copy

Resolution Scan: 600 x 600 dpi

Print: 2,400 x 600 dpi with smoothing

First Copy Output Time

Platen: 25-400%, RADF1): 25-400% Zoom

Text, Text/Photo, Photo, Background erase Copy Modes **Copy Functions** Copy templates, ID Card copy, Edge erase, 2-in-1 / 4-in-1 mode, Auto sort<sup>2)</sup>, Electronic sort<sup>2)</sup>

#### System & Security

**Device Management** TopAccess for remote administration and configuration

Internal toner recycling, Energy-saving modes **System Features Accounting & Security** 100 department codes, IP and MAC address filter

#### **Print**

Max. 2,400 x 600 dpi with smoothing Resolution

Page Description Language Graphic Device Interface

Windows 10/8.1/7/Server 2008 SP2 (32/64 bit), **Supported Systems** 

Windows Server 2016/Sever 2012/Server 2008

R2 SP1 (64 bit)

Print from USB, Multiple pages per sheet, **Print Functions** 

Toner save mode

### **Options**

Automatic Duplex Unit 3) A5R-A3, 64-80 g/m<sup>2</sup>

RADF 50-sheet capacity,

A5R-A3, 50-104  $g/m^2$ 

Paper Feed Unit 1x 250-sheet capacity,

A5R-A3, 64-80 g/m<sup>2</sup>

e-BRIDGE Print & Capture Entry App

#### Scan

Resolution Max. 600 x 600 dpi

Monochrome/Colour: 25/18 ipm (300 dpi) Scan Speed

Scan Modes Colour, Greyscale, Monochrome **File Formats** JPEG, Multi/Single Page TIFF/PDF

(via e-STUDIO Scan Editor)

**Scan Functions** Scan templates, Scan to USB, TWAIN,

Scan to mobile

Certifie

1) Optional 2) Requires RADF

 $^{3)}$  This item is optional for e-STUDIO2323AM and standard for e-STUDIO2823AM

#### **About Toshiba Tec**

To shiba Tec Germany Imaging Systems GmbH is part of the globally operating To shiba Tec Corporation, active in various high-tech industrial sectors.

To shiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH Carl-Schurz-Str. 7 41460 Neuss Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu

	record, share, manage and display ideas and data.
	It is based on our belief that the most successful organisations are those that
	communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

